



SEDGWICK COUNTY, KANSAS

DIVISION OF FINANCE

Purchasing Department

604 N. Main, Suite F | Wichita, KS 67203 | Telephone (316) 660-7255 | Fax (316) 383-7055 |

Request for Bid

04-18709

**Microprismatic Lens Retroreflective Sign Sheeting
(ASTM Type III-Prismatic)**

September 22, 2004

Sedgwick County, Kansas (hereinafter referred to as County) will accept bids for Microprismatic Lens Retroreflective Sign Sheeting for Sedgwick County Public Works Department. This bid will constitute contract pricing for a period of 12 months following award, with potential for two (2) additional one (1) year options to renew, subject to approval by Sedgwick County.

Carefully review this Request for Bid. It provides specific information necessary to aid participating firms in formulating a thorough response. Should you elect to participate, complete two (2) signed copies of the entire document and return to Sedgwick County Purchasing Department, 604 N. Main, Suite F, Wichita, KS 67203, **NO LATER THAN 1:45 p.m., (CDT), Tuesday, October 12, 2004**. Bids must be sealed in an envelope and marked with firm name and address, bid number, and bid open date. The County will not accept bids with insufficient postage or collect on delivery.

Responses to this Request for Bid will be opened and read aloud at a public meeting. You or your representatives are welcome to attend.

Late or incomplete bids will not be accepted and will not receive consideration for final award.

Jerry Phipps
Senior Purchasing Agent

REQUEST FOR BID CONDITIONS

In submitting a response to this Request for Bid, vendors hereby understand the following:

1. Sedgwick County reserves the right to reject any or all Bids and responses to these and/or related documents, to accept any item or items in the bids, to waive any irregularity in the bids, and further if determined to be non-responsive in any form, or if determined to be in the best interest of Sedgwick County.
2. Alternate Bids (two or more Bids submitted) will be considered for an award. Sedgwick County reserves the right to make the final determination of actual equivalency or suitability of such Bids with respect to requirements outlined herein. The bids submitted, and any further information acquired through interviews, will become and is to be considered a part of the final completed contract. If there is any variance or conflict, the Bid specifications will control.
3. Bidders MUST return two (3) signed, completed copies of the attached Response Form to Sedgwick County Purchasing Department, 604 North Main, Suite F, Wichita, KS 67203-3703, on or before the date and time specified. Bids must be sealed in an envelope, and marked with the firm name and address, Bid number, Bid opening date, and Bid opening time. The time of receipt will be determined by the time clock stamp in the Purchasing Department.
4. All project participants, consultants, engineers, and contractors, must comply with all applicable Federal, State and County laws pertaining to contracts entered into by governmental agencies, including non-discriminating employment.
5. Quotations submitted may not be withdrawn for a period of 60 days immediately following the opening of this Request for Bid. Prices MUST be free of federal, state, and local taxes unless otherwise imposed by a governmental body, and applicable to the material on the Bid.
6. Sedgwick County interprets the term "lowest responsible Bidder" as requiring Sedgwick County to: (a) choose between the kinds of materials, goods, wares, or services subject to the Bid, and (b) determine which Bid is most suitable for its intended use or purpose. Sedgwick County can consider, among other factors, such things as labor cost, service and parts availability, availability of materials and supplies, and maintenance costs of items upon which Bids are received.
7. All requested information must be supplied. If you cannot respond to any part of this request, state the reason you cannot respond. You may provide supplemental information to assist Sedgwick County in analyzing your Bid.
8. If the supplier refuses or fails to make deliveries of the materials within the times specified on the face of the Request for Bid or purchase order, Sedgwick County may, by written notice, terminate the contract OR purchase order.
9. The supplier will certify and warrant that goods, personal property, chattels, and equipment sold and delivered are free and clear of any and all liens, or claims of liens, for materials or services arising under, and by virtue of the provisions of K.S.A. Sections 58-201, et seq., and any other lien, right, or claim of any nature or kind whatsoever.
10. The successful bidder will hold and save Sedgwick County, and its officers, agents, servants/employees harmless from liability of any patented, or unpatented invention, process, article, or appliance manufactured, or used in the performance of the contract, including its use by Sedgwick County.
11. All items furnished, if applicable, must be the best of their respective kinds, and will be free from defects in material and workmanship. Items will be subject to County inspection and approval at any time within 30 days after delivery. If a substitution is made, it will be the decision of Sedgwick County representative to determine if it is of equal quality. Items furnished must be manufactured in compliance with all existing legal or governmental directives.
12. All items must be properly packed, if applicable, to insure delivery in good condition, and in accordance with instructions listed on the face of the Request for Bid or purchase order, if any.
13. Contracts entered into on the basis of submitted Bids are revokable if contrary to law.
14. The Bidder agrees to comply with K.S.A. 44-1030. Bidder will:
 - a. Observe the provision of the Kansas Commission on Human Rights and will not discriminate against any person in the performance of work under the present contract because of race, religion, color, sex, national origin, ancestry, or physical disability.
 - b. Include the phrase, 'Equal Opportunity Employer,' or a similar phrase approved by the Kansas Commission on Human Rights in all solicitations or advertisements for employees.
 - c. Sedgwick County, if bidder fails to comply with the manner in which he reports to the Kansas Commission on Human Rights.
 - d. Be deemed to have breached the present contract, and it may be canceled, terminated, or suspended, in whole or in part, by Sedgwick County; if found guilty of a violation of the Kansas Act Against Discrimination under a decision, or order of the Kansas Commission on Human Rights which has become final,
 - e. Include Be deemed to have breached the contract, which may be canceled, terminated, or suspended, in whole or in part, by the provisions of subsections (14.1) through (14.5) inclusively of this paragraph in every subcontract or purchase order so that such provision will be binding upon such subcontractors or vendor.

15. The vendor responding to this bid solicitation proposes to furnish all materials, labor, supplies, equipment and incidentals necessary to provide the equipment/materials/services described herein in accordance with the Notification of Solicitation (if applicable), Request for Information (if applicable), Request for Bid, Addenda, Contract, Bonds, Insurance, Plans, Specifications, Mandatory Requirements and Conditions.
16. It will be understood that the Bidder's sureties and insurers are subject to the approval of the County.
17. In response to this Request for Bid, the Bidder agrees to execute and deliver to the County a contract in accordance with the Contract Documents (if applicable) within ten days of notice of the award to the Bidder. The Bidder agrees that the surety/deposit given concurrently herewith will become the property of the County in the event the Bidder fails to execute and deliver such contract within the specified time. In the further event of such failure, the Bidder will be liable for the County's actual damages that exceed the amount of the surety.
18. It will be understood that time is of the essence in the Bidder's performance. The Bidder agrees that the County's damages would be difficult or impossible to predict in the event of a default in the performance hereof; and it is therefore agreed that if the Bidder defaults in the performance of the Contract Documents, the Bidder will be liable for payment of the sums stipulated in the Contract Documents as liquidated damages, and not as a penalty.
19. The Bidder hereby certifies that he or she has carefully examined all of the Documents for the project, has carefully and thoroughly reviewed this Request for Bid, has inspected the location of the project (if applicable), and understands the nature and scope of the work to be done; and, that this Bid is based upon the terms, specifications, requirements, and conditions of the Request for Bid Documents. The Bidder further agrees that the performance time specified is a reasonable time, having carefully considered the nature and scope of the project as aforesaid.
20. It will be understood that any bid and any/all referencing information submitted in response to this Request for Bid will become the property of Sedgwick County, and will not be returned. As a governmental entity, Sedgwick County is subject to making records available for disclosure after Board of County Commission approval of the recommendation.
21. Sedgwick County will not be responsible for any expenses incurred by any vendor in the development of a response to this Request for Bid including any onsite (or otherwise) interviews and/or presentations, and/or supplemental information provided, submitted, or given to Sedgwick County and/or its representatives. Further, Sedgwick County will reserve the right to cancel the work described herein prior to issuance and acceptance of any contractual agreement/purchase order by the recommended vendor even if the Board of County Commissioners has formally accepted a recommendation.
22. By submission of a response, the Bidder agrees that at the time of submittal, he or she: (1) has no interest (including financial benefit, commission, finders fee, or any other remuneration) and will not acquire any interest, either direct or indirect, that would conflict in any manner or degree with the performance of Bidders services, or (2) benefit from an award resulting in a Conflict of Interest. A Conflict of Interest will include holding or retaining membership, or employment, on a board, elected office, department, division or bureau, or committee sanctioned by and/or governed by the Sedgwick County Board of County Commissioners. Bidders will identify any interests, and the individuals involved, on separate paper with the response and will understand that the County, at the discretion of the Purchasing Director in consultation with the County Counselor, may reject their bid/quotation. The Bidder certifies that this bid is submitted without collusion, fraud or misrepresentation as to other Bidders, so that all bids for the project will result from free, open and competitive proposing among all vendors.
23. Unless specified otherwise, all items quoted are to be as a minimum but not necessarily limited to: new, current model year, and untitled prior to shipping and/or installation.
24. Sedgwick County will issue a purchase order/contract for the acquisition of products/services specified as a result of an award made in reference to this document. Contract documents will be subject to any regulations governed by the laws of the State of Kansas and any local resolutions specifically applicable to the purchase.
25. Any dispute arising out of the contract documents or their interpretation will be litigated only within the courts of the State of Kansas. No prepayment of any kind will be made prior to shipment. Payment will be made upon verification of delivery, compliance with specifications, assurance that the product/service performs as specified and warranted, and receipt of correct invoicing.
26. The Bidder must provide Sedgwick County with a toll-free telephone number, OR accept collect calls. FAX numbers should also be provided if available. Information regarding the procurement process may be obtained from Jerry Phipps, Purchasing Department, 604 North Main, Suite F, Wichita, KS 67203-3703, (316) 660-7255.
27. Sedgwick County will accept responses transmitted via a facsimile unless stated to the contrary within this document. Bids must be received prior to the time and dates listed to be considered responsive. Sedgwick County will not accept late responses and will return them to the sender. Further, Sedgwick County will NOT: (1) guarantee security of the document received; (2) be held responsible for Bids which are NOT legible (and may choose to reject such responses); and, (3) guarantee that the receiving facsimile machine will accept transmission or that phone lines are functioning and available for transmission. Submitting a Bid response via facsimile does NOT relieve the Bidder of: (1) responsibilities stated in the document (such as attendance at a mandatory pre-Bid conference); (2) providing non-paper informational items which must be returned with the response (diskettes, large drawings, photographs, models, etc.); and, (3) providing original copies of Bid sureties (bonds, certificates of insurance, etc.).

Specifications for sheeting

Microprismatic Lens Retroreflective Sign Sheeting (ASTM Type III – Prismatic)

1. Description

This specification covers flexible, microprismatic lens retroreflective sheeting designed for use on permanent traffic control signs, delineators, barricades and construction work zone signs and devices, and other traffic control devices.

2. Referenced Specifications

- 2.1 ASTM D-4956-01, which designates this sheeting as Type III. The requirements of this specification match those of ASTM D-4956-01 inasmuch as they apply to microprismatic lens retroreflective sheeting, ASTM Type III, Adhesive Class 1 (Pressure Sensitive). **Encapsulated glass bead sheetings shall not be acceptable for the purposes of this specification.**
- 2.2 Other applicable ASTM specifications referenced in ASTM D-4956-01.
- 2.3 FP-96 Standard Specifications for Construction of Roads and Bridges on federal Highway Projects.
- 2.4 AASHTO M 268-93 as it references Type III sheeting.

3. Adhesive Classification

- 3.1. *Class 1.* The adhesive backing shall be pressure-sensitive. It shall require no heat, solvent, or other preparation for adhesion to smooth, clean surfaces.

4. Performance Requirements

- 4.1 *Coefficient of Retroreflection.* The coefficient of retroreflection shall meet or exceed the minimum requirements of Table 1 when tested in accordance with 5.3.
- 4.2 *Daytime Color.* The color of the sheeting shall conform to requirements of Table 2 for chromaticity limits; it shall conform to Table 3 for Daytime Luminance when tested in accordance with 5.4. Daytime and nighttime color shall have substantially the same hue.
- 4.2 *Accelerated Outdoor Weathering Requirements.* Exposure period: 36 months. When the colors orange, yellow, or white are specified for construction work zone applications, the accelerated outdoor weathering exposure period will be 12 months.

The retroreflective sheeting shall be weather resistant and show no appreciable cracking, scaling, pitting, blistering, edge lifting, or curling, or more than 1/32-in. (0.8-mm) shrinkage or expansion when tested in accordance with 5.6. Conduct retroreflectivity measurements after outdoor weathering at 0.2° observation and -4° and +30° entrance angles. The minimum

- coefficient of retroreflection (R_A) after 36 months weathering (12 months for work zone material) is 80% of the corresponding values in Table 1.
- 4.5 *Colorfastness.* After the specified outdoor weathering, the specimen shall conform to the requirements of Table 2 (chromaticity) and Table 3 (Daytime Luminance), when tested in accordance with 5.4 and 5.7.
- 4.6 *Shrinkage.* The retroreflective sheeting shall not shrink in any dimension more than 1/32 in. (0.8 mm) in 10 min or more than 1/8 in. (3.2 mm) in 24 h when tested in accordance with 5.8.
- 4.7 *Flexibility.* The sheeting shall be sufficiently flexible to show no cracking when tested in accordance with 5.9.
- 4.8 *Liner Removal.* The liner, when provided, shall be easily removed without soaking in water or other solutions, and shall not break, tear, or remove adhesive from the sheeting when tested in accordance with 5.10.)
- 4.9 *Adhesion.* When tested in accordance with 5.5, the adhesive backing of the retroreflective sheeting shall produce a bond that will support a 1¾-lb (0.79-kg) weight for adhesive classes 1, 2 and 3 or a 1-1b (0.45-kg) weight for adhesive class 4 for 5 min, without the bond peeling for a distance of more than 2 in. (51 mm).
- 4.10 *Impact Resistance.* Retroreflective sheeting shall show no cracking or delamination outside of the actual area of impact when subjected to the impact test in accordance with 5.11.
- 4.11 *Specular Gloss.* The retroreflective sheeting shall have a specular gloss of not less than 40 when tested as specified in 5.12.
- 4.12. Fungus Resistance. (Only if specified by purchaser; see Supplementary Requirement S1),

5. Test Methods

- 5.1 *Test Conditions.* Unless otherwise specified herein, condition all adhesively bonded and unbonded test samples and specimens at a temperature of 73°F ±3°F (23°C ±2°C) and 50% ±5 % relative humidity for 24 hours prior to testing.
- 5.2 *Panel Preparations.* Unless otherwise specified herein, when tests are to be performed using test panels, apply the specimens of retroreflective material to smooth aluminum cut from Alloy 6061-T6 or 5052-H38, in accordance with Specification B 209. The sheets shall be 0.020 in. (0.508 mm), 0.040 in. (1.016 mm) or 0.063 in. (1.600 mm) in thickness, and a minimum of 8 by 8 in. (200 mm by 200 nun). Prepare the aluminum in accordance with Practice B 449, Class 2, or degrease and lightly acid etch before the specimens are applied. Apply the specimens to the panels in accordance with the recommendations of the retroreflective sheeting manufacturer.
- 5.3 *Coefficient of Retroreflection* Determine the coefficient of retro-reflection in accordance with ASTM Test Method E 810.
- 5.4 *Color.* Test for Daytime Color:
- 5.4.1 Determine the chromaticity and luminance factor Y (%) in accordance with Test Methods E 308, E 1347, and E 1349 and Practices E 991 and E 1164.

- 5.4.2 Instruments (spectrophotometers, colorimeters) used to measure daytime color should have 45/0 or 0/45 illumination and viewing geometry. The illumination angle should not vary from 45° by more than ±10° and the viewing angle should not vary from 0° by more than ±15°, for the 45/0 condition. For the 0/45 condition, the requirements for illumination are interchanged.
- 5.5 *Adhesion.* Apply the sheeting to a test panel, 0.040 in. (1.016 mm) minimum thickness, prepared as specified in 5.2. Bond 4 in. (102 mm) of a 1 by 6 in. (25.4mm x 152 mm) specimen to a test panel. Condition (see 5.1) and then attach the weight to the free end and allow it to hang free at an angle of 90° to the panel surface for 5 min.
- 5.6 *Outdoor Weathering.* Conduct outdoor exposures in accordance with Practice G 7. During exposure, test panels shall be open backed and oriented at an angle of 45° from the horizontal and facing the equator in accordance with Practice G 7. Expose two panels per location for 36 months. Conduct exposures in locations with the climate types shown in Table 4. Panel labeling, conditioning and handling of panels prior to exposure and during evaluation periods shall be in accordance with Practice G 147.
- 5.6.1 *Washing Panels after Exposure.* Following exposure, gently wash the panels using soft cloth or sponge and clean water or a dilute solution (1% by weight in water, maximum concentration) of a mild detergent. After washing, rinse thoroughly with clean water, and blot dry with a soft clean cloth. After washing and drying, condition the panels at room temperature for at least 2 h prior to conducting any property measurements.
- 5.6.2 *Measurement of Coefficient of Retroreflection.* After panels have been washed, dried, and conditioned in accordance with 5.6.2, measure retroreflectance at 0.2° observation and -4° and 30° entrance angle. Report the average of the coefficient of retroreflection measured at each geometry on the two panels from each exposure location.
- 5.7 *Colorfastness.* Use one of the outdoor weathered specimens to test for colorfastness. Wash, dry, and condition panels in accordance with 5.6.2 and test as specified in 5.4.
- 5.8 *Shrinkage.* Condition a 9" x 9" (229mm x 229 mm) retroreflective sheeting specimen with liner, a minimum of one h at standard test conditions (see 5.1). Remove the liner and place the specimen on a flat surface with the adhesive side up. Ten min after the liner is removed and again after 24 hours, measure the specimen to determine the amount of dimensional change.
- 5.9 *Flexibility.* Bend the sheeting, in 1 s, around a 1/8 -in. (3.2-mm) mandrel with adhesive contacting the mandrel. For ease of testing, spread talcum powder on the adhesive to prevent sticking to the mandrel. The test specimen shall be 2¾ by 11 in. (70 by 229 mm). The test temperature shall be 73°F ±3°F (23 ±2°C).
- 5.10 *Liner Removal.* The protective liner if any, shall be easily removed following accelerated storage for 4 hours at 160°F (71°C) under a weight of 2.5 psi (17.2 kPa).

5.11 *Impact Resistance.* Apply the retroreflective sheeting to a 3” x 5” x 0.040 in. (76mm x 127 mm x 1.016 mm) 6061-T6 aluminum test panel as specified in 5.2 and test condition as specified in 5.1. Subject the sheeting to the impact of a 2-lb (0.91-kg) weight, with a 0.625 -in. (15.8-mm) diameter rounded tip, dropped from the height necessary to generate an impact of 10 in.-lb (11.5 m-kg).

5.12 *Specular Gloss.* Determine the specular gloss of the retroreflective sheeting in accordance with Test Method D 523 at an angle of 85°.

6. General Requirements

6.1 *Rolls.* When ordered in rolls, the retroreflective material shall be evenly wound on a core of sufficient rigidity to prevent distortion of the roll. The maximum number of splices shall be 4/50-yd roll. Each splice shall be visible at the edge of the roll. The length and width will be specified by the purchaser.

6.2 *Color Processing.* The sheeting shall permit color processing with compatible transparent and opaque process colors in accordance with the sheeting manufacturer's recommendation at temperatures between 60°F to 100°F (16°C to 38°C) and relative humidity at 20% to 80 %.

TABLE 1. Minimum Coefficient of Retroreflection (R_A) cd/ft^2 ($cd \cdot lx^{-1} \cdot m^{-2}$).

<u>Observation Angle</u>	<u>Entrance Angle</u>	<u>White</u>	<u>Yellow</u>	<u>Orange</u>	<u>Green</u>	<u>Red</u>	<u>Blue</u>	<u>Brown</u>
0.1°	-4°	300	200	120	54	54	24	14
0.1°	30°	180	120	72	32	32	14	10
0.2°	-4°	250	170	100	45	45	20	12
0.2°	30°	150	100	60	25	25	11	8.5
0.5°	-4°	95	62	30	15	15	7.5	5.0
0.5°	30°	65	45	25	10	10	5.0	3.5

TABLE 2. Color. Specification Limits (Daytime)^A

Color	1		2		3		4	
	x	y	x	y	x	y	x	y
White	0.303	0.287	0.368	0.353	0.340	0.380	0.274	0.316
Yellow	0.498	0.412	0.557	0.442	0.479	0.520	0.438	0.472
Orange	0.550	0.360	0.630	0.370	0.581	0.418	0.516	0.394
Green	0.030	0.380	0.166	0.346	0.286	0.428	0.201	0.776
Red	0.613	0.297	0.708	0.292	0.636	0.364	0.558	0.352
Blue	0.144	0.030	0.244	0.202	0.190	0.247	0.066	0.208
Brown	0.430	0.340	0.430	0.390	0.550	0.450	0.610	0.390

^A The four pairs of chromaticity coordinates determine the acceptable color in terms of the CIE 1931 Standard Colorimetric System measured with Standard Illuminant C.

[Note: New values for chromaticity values obtained for measurements made using Illuminant D-65 have been accepted by ASTM Subcommittee D4.38 but have not yet been included in a published specification. It is intended that this specification be amended to use the D-65 values when available.]

TABLE 3. Color. Luminance Factor (Y%) (Daytime Luminance)

Color	Minimum	Maximum
White	40	--
Yellow	24	45
Orange	12	30
Green	3.0	12
Red	3.0	15
Blue	1.0	10
Brown	1.0	6.0

7. Basis of Acceptance

Acceptance of material furnished under this specification will be based on a certification prepared by the manufacturer showing that test value limits are within ASTM allowances, and a visual inspection upon delivery for condition and conformance with other requirements.

State brand, product number and send specification sheet with bid for each item your company is bidding. _____

Item #	Quantity	Unit Of Measure	Product Description	Price Per Roll	Total Price
1.	10	Roll	¾" x 50 Yd, Black Border Tape (A-8090-O,PS)	\$	\$
2.	10	Roll	5/8" x 50 Yd, Black Border Tape (A-8090-O,PS)	\$	\$
3.	6	Roll	15" x 50 Yd, Black Cuttable Vinyl (A-8090-O,PS)	\$	\$
4.	10	Roll	30" x 50 Yd, Black Cuttable Vinyl (A-8090-O,PS)	\$	\$
5.	10	Roll	18" x 50 Yd, Transfer Tape (Clear)	\$	\$
6.	10	Roll	24" x 50 Yd, Transfer Tape (Clear)	\$	\$
7.	5	Roll	30" x 50 Yd, Yellow High Intensity Prismatic (T-6501 PS)	\$	\$
8.	10	Roll	36" x 50 Yd, Orange High Intensity Prismatic (T-6504 PS)	\$	\$
			GRAND TOTAL		\$

Pricing to be FOB, Prepaid, Destination

Vendor must be able to deliver all material by December 15, 2004.

Delivery address: Sedgwick County Public Works (Sign Shop)
 1144 S. Seneca, Building 16
 Wichita, KS 67213

Contract will be for one (1) year, with two (2) one year options to renew.

Bid Response Form
04-18709
Microprismatic Lens Retroreflective Sign Sheeting
(ASTM Type III-Prismatic)

All firms interested in bidding MUST provide two (2) copies of the entire document and return with any supplementary materials. Responses are due NOT LATER THAN Tuesday, October 12, 2004, 1:45 p.m., (CDT). Attention Jerry Phipps, Sedgwick County Purchasing Department, 604 N. Main, Suite F, Wichita, Kansas 67203-3703.

The undersigned, on behalf of the Bidder, certifies that: (1) this offer is made without previous understanding, agreement of connection with any person, firm or corporation making a quotation on the same project; (2) is in all respects fair and without collusion or fraud; (3) the person whose signature appears below is legally empowered to bind the firm in whose name the Bid is entered; (4) they have read the complete Request for Bid and understands all provisions; (5) if accepted by the County, this bid is guaranteed as written and amended and will be implemented as stated; and (6) mistakes in writing of the submitted bid will be their responsibility.

FIRM NAME _____

CONTACT _____

ADDRESS _____ CITY/STATE _____ ZIP _____

PHONE _____ FAX _____ HOURS _____

TAXPAYER I.D. _____

COMPANY WEB SITE _____ E-MAIL _____

NUMBER OF LOCATIONS _____ NUMBER OF PERSONS EMPLOYED _____

TYPE OF ORGANIZATION (CHECK ONE)

CORPORATION PUBLIC PRIVATE SOLE PROPRIETORSHIP PARTNERSHIP

MINORITY BUSINESS ENTERPRISE WOMAN-OWNED ENTERPRISE SMALL BUSINESS ENTERPRISE

GENERAL NATURE OF BUSINESS _____

MANUFACTURER DISTRIBUTOR RETAIL DEALER SERVICE

WE ACKNOWLEDGE RECEIPT OF ADDENDUMS: All addendum(s) are posted to our RFQ/RFP web page and it is the vendor's responsibility to check and confirm all addendum(s) related to this document by going to www.sedgwickcounty/purchasing .

NO _____ DATED; NO _____ DATED; NO _____ DATED.

In submitting a response to this document, vendor acknowledges acceptance of all sections of the entire document and has clearly delineated and detailed any exceptions.

Signature _____ Title _____