

ADDENDUM #1 RFB #23-0019 ON -CALL CONCRETE AND PAVING

March 6, 2023

The following is to ensure that vendors have complete information prior to submitting a proposal. Here are some clarifications regarding the proposal for On-Call Concrete and Paving.

Questions and/or statements of clarification are in **bold** font, and answers to specific questions are *italicized*.

PLEASE SEE ATTACHED PRICING TABLE AND THE CITY OF WICHITA APPROVED MATERIALS LIST FOR PAVEMENT.

Firms interested in submitting a bid must respond with complete information and **deliver on or before 1:45 pm** *CDT*, April 11, 2023. Late bids will not be accepted and will not receive consideration for final award.

"PLEASE ACKNOWLEDGE RECEIPT OF THIS ADDENDUM ON THE *BID* RESPONSE PAGE."

Lee Barrier

Lee Barrier Purchasing Agent

LB/ch

CONCRETE	UOM	PRICE
1) 4" thick concrete removal		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
2) 6" thick concrete removal		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
3) 8" thick concrete removal		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
4) 4" thick concrete installation		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
5) 6" thick concrete installation		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
6) 8" thick concrete installation		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
7) Curb/Gutter Removal		
Less than 150 LF	Linear Foot	\$
150 LF or more	Linear Foot	\$
8) Curb/Gutter Installation		
Less than 150 LF	Linear Foot	\$
150 LF or more	Linear Foot	\$
ADA compliant curb ramp with truncate dome pavers		\$
Truncated dome pavers 2' x 4' area in existing sidewalk		\$
Truncated dome pavers 2' x 4' area in new sidewalk		\$
Ad hoc rate per employee		\$
Ad hoc material mark up		%

PAVEMENT	UOM	PRICE
1) Crack Cleaning and Repair - 1/4" to 1"		
Less than 150 LF	Linear Foot	\$
150 LF or more	Linear Foot	\$
2) Sealant		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
3) 6" Thick Removal		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
4) 8" Thick Removal		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
5) 6" Thick Installation		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
6) 8" Thick Installation		
Less than 200 SF	Square Foot	\$
200 SF or more but less than 2,000 SF	Square Foot	\$
2,000 SF or more	Square Foot	\$
Ad hoc rate per employee	Hour	\$
Ad hoc material mark up	Square Foot	\$
Concrete parking block, installed	Each	\$
7) Striping		
Rate per employee	Hour	\$
Material mark up		\$
8) Resealing joints and cracks	Each	\$

Department of Public Works & Utilities Approved Materials Part 400-Pavement

Asphalt Reinforcement

o Knitted Fiberglass Reinforcement

- + AllianceGeo RG 2010
 - + GlasGrid 8502
 - + LEgeo RG 2010

Concrete Reinforcement

o Fiber Reinforcement

- + Fibermesh
- + Grace Fibers

Pavement Subgrade

- o Biaxial Geogrids
 - + Alliance BX 1515
 - + BOSTD SX 4100
 - + Carthage Mills GBX11
 - + Carthage Mills GBX12
 - + Contech E'GRID RX1100
 - + Geostar GeoBase GB 11
 - ✦ Geostar GeoBase GB 12

Department of Public Works & Utilities Approved Materials Part 400-Pavement

- ✦ Geostar GeoBase GB 1515
- + LE Geo BX 1515

o Biaxial Geogrids (Cont'd)

- + LE Geo BX 4100
- MacGrid EG 11
- ✦ MacGrid EG 12
- ✦ MacGrid EG 15S
- ✦ MacGrid EG 41
- ✦ Mirafi BaseXgrid 11
- ✤ Mirafi BaseXgrid 12
- + Mirafi BXG 100
- + Mirafi BXG 110
- + Mirafi BXG 120
- + Propex Gridpro BXP11
- + Propex Gridpro BXP12
- + Syntec SBX 11
- + Syntec SBX 12
- + Syntec SBX 41
- ✦ Synteen STF P11
- + Synteen STF P12
- + Tenax LBO 170

Department of Public Works & Utilities Approved Materials Part 400-Pavement

- + Tenax LBO 202
- + Tenax LBO 302
- + Tensar BX 1100

o Biaxial Geogrids (Cont'd)

- + Tensar BX 1200
- + Tensar BX 4100
- + TerraGrid RX1100
- + TerraGrid RX1200
- + TerraGrid SX1515
- + TerraGrid RX4100
- + Thrace TLG-11
- + Thrace TLG-12
- + WINFAB BX12

o Geotextile Fabric

- ✦ Carthage Mills FX-370MF
- + Carthage Mills FX-570MF
- ✦ Mirafi HP 370
- + Mirafi HP 570
- ✤ Propex Geotex 3X3HF
- ✤ Propex Geotex 4X4HF

Department of Public Works & Utilities Approved Materials Part 400-Pavement

- ✦ TerraTex HPG-37
- + TerraTex HPG-57
- + WINFAB 370 HP
- + WINFAB 570 HP

Wheelchair Ramps (detectable warning systems)

- + Access Tile (Cast in Place Replaceable)
- + ADA Solutions (Cast in Place Replaceable)
- + ADA Solutions Heritage Brick Paver
- + Hanover Detectable Warning Pavers
- + Pavestone ADA Compliant Paver