

## SEDGWICK COUNTY, KANSAS DIVISION OF FINANCE PURCHASING DEPARTMENT

525 N. Main, Suite 823 ~ Wichita, KS 67203 Phone: 316 660-7255 Fax: 316 383-7055 https://ssc.sedgwickcounty.org/RFQRFPWebApp/RFP2.aspx

RFP #15-0051 Architectural and Engineering Services **Design and Construct Garage** 

Addendum No. 2

Please review the additional information as discussed during the pre-proposal meeting of Friday May 1<sup>st</sup>.

- 1. Power should be provided in building plans.
- 2. The interior floor plan should be open and support of structure should be provided by other means.
- 3. Approximate measurements of ambulances to be stored are 9 feet wide by 26 feet long and allow for a 54 foot turn radius. There should be a minimum of 5 feet between parked ambulances.
- 4. Garage doors should be 12 feet wide by 12 feet tall and allow space between the garage door and ceiling for automatic openers to be mounted.
- 5. The minimum ceiling height of the building should be 16 feet.
- 6. The building must provide electric heat.
- 7. Interior finishes should be similar to the garage that was viewed at the pre-proposal meeting and include space for a workbench and space to hang items on the walls.
- 8. The approximate dimensions of the cots to be stored at the facility are 8 feet by 20 feet.
- 9. Each truck bay should have its own 20 amp circuit for drop power.
- 10. The building should provide a drive-thru style approach; there are no requirements as to which direction the facility should sit on the lot for best function.
- 11. The facility will require cipher style door locks on any entry doors to the building.
- 12. Construction funding for this project will not be available until 2016.
- 13. Lot size for this facility is 147.5 feet East/West by 125' North/South.
- 14. The design must meet the 2010 ADA Standards for Accessible Design.