

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted |
|--|----------|----------------|------------|-------|----------|---------------|---------------|--------------|----------|
| | | | in | Well | for Well | Wt Avg | Wt Avg | Change | % |
| | | | County | Depth | Depth | Value (11.00) | Value (11.00) | 2017 to 2018 | Change |
| Northwest | Cheyenne | Native Grass | 39% | | | \$11 | \$18 | 53% | |
| | | Dry Land | 53% | | | \$139 | \$155 | 12% | |
| | | Irrigated Land | 8% | 300 | 76.8% | \$500 | \$563 | 13% | 28% |
| | Decatur | Native Grass | 41% | | | \$36 | \$44 | 19% | |
| | | Dry Land | 57% | | | \$211 | \$238 | 13% | |
| | | Irrigated Land | 2% | 100 | 80.6% | \$601 | \$670 | 11% | 16% |
| | Graham | Native Grass | 40% | | | \$39 | \$46 | 18% | |
| | | Dry Land | 58% | | | \$193 | \$215 | 11% | |
| | | Irrigated Land | 2% | 200 | 45.5% | \$546 | \$606 | 11% | 14% |
| | Norton | Native Grass | 46% | | | \$36 | \$43 | 19% | |
| | | Dry Land | 51% | | | \$241 | \$263 | 9% | |
| | | Irrigated Land | 3% | 100 | 96.9% | \$589 | \$652 | 11% | 14% |
| | Rawlins | Native Grass | 42% | | | \$14 | \$21 | 47% | |
| | | Dry Land | 55% | | | \$177 | \$201 | 14% | |
| | | Irrigated Land | 3% | 300 | 54.4% | \$501 | \$570 | 14% | 27% |
| | Sheridan | Native Grass | 35% | | | \$14 | \$21 | 44% | |
| | | Dry Land | 51% | | | \$201 | \$226 | 12% | |
| | | Irrigated Land | 13% | 200 | 51.1% | \$553 | \$622 | 12% | 24% |
| | Sherman | Native Grass | 20% | | | \$16 | \$23 | 42% | |
| | | Dry Land | 61% | | | \$140 | \$159 | 14% | |
| | | Irrigated Land | 19% | 300 | 84.8% | \$529 | \$600 | 13% | 19% |
| | Thomas | Native Grass | 14% | | | \$14 | \$20 | 46% | |
| | | Dry Land | 71% | | | \$169 | \$192 | 14% | |
| | | Irrigated Land | 15% | 200 | 55.1% | \$554 | \$621 | 12% | 18% |
| * LNI's for irrigated land represent the most frequently occurring well depth. | | | | | | | | | |
| Total Statewide Change | | | 10% | | | | | | |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % |
|--------------|---------|----------------|---------|-------|----------|---------------|---------------|--------------|------------|
| | | | in | Well | for Well | Wt Avg | Wt Avg | Change | |
| | | | County | Depth | Depth | Value (11.00) | Value (11.00) | 2017 to 2018 | Change |
| West Central | Gove | Native Grass | 43% | | | \$22 | \$33 | 49% | |
| | | Dry Land | 53% | | | \$212 | \$229 | 8% | |
| | | Irrigated Land | 4% | 100 | 55.4% | \$507 | \$562 | 11% | 26% |
| | Greeley | Native Grass | 8% | | | \$20 | \$30 | 51% | |
| | | Dry Land | 86% | | | \$101 | \$106 | 5% | |
| | | Irrigated Land | 6% | 200 | 92.9% | \$425 | \$477 | 12% | 9% |
| | Lane | Native Grass | 28% | | | \$19 | \$28 | 50% | |
| | | Dry Land | 66% | | | \$108 | \$118 | 9% | |
| | | Irrigated Land | 6% | 200 | 52.2% | \$456 | \$511 | 12% | 21% |
| | Logan | Native Grass | 43% | | | \$20 | \$31 | 58% | |
| | | Dry Land | 55% | | | \$177 | \$197 | 11% | |
| | | Irrigated Land | 1% | 200 | 69.7% | \$449 | \$519 | 16% | 32% |
| | Ness | Native Grass | 37% | | | \$40 | \$51 | 28% | |
| | | Dry Land | 62% | | | \$148 | \$156 | 5% | |
| | | Irrigated Land | 1% | 100 | 84.4% | \$504 | \$562 | 12% | 14% |
| | Scott | Native Grass | 14% | | | \$17 | \$29 | 64% | |
| | | Dry Land | 74% | | | \$187 | \$202 | 8% | |
| | | Irrigated Land | 12% | 200 | 61.2% | \$426 | \$484 | 14% | 17% |
| | Trego | Native Grass | 45% | | | \$40 | \$51 | 28% | |
| | | Dry Land | 54% | | | \$158 | \$165 | 4% | |
| | | Irrigated Land | 1% | 100 | 82.2% | \$476 | \$532 | 12% | 15% |
| | Wallace | Native Grass | 43% | | | \$19 | \$30 | 57% | |
| | | Dry Land | 45% | | | \$120 | \$129 | 8% | |
| | | Irrigated Land | 11% | 200 | 57.6% | \$430 | \$487 | 13% | 30% |
| | Wichita | Native Grass | 17% | | | \$20 | \$31 | 53% | |
| | | Dry Land | 60% | | | \$151 | \$158 | 5% | |
| | | Irrigated Land | 23% | 200 | 95.0% | \$439 | \$497 | 13% | 15% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % Change |
|-----------|----------|----------------|--------------|---------------|-------------------|-------------------------|-------------------------|------------------------|----------------------|
| | | | in County | Well Depth | for Well Depth | Wt Avg Value (11.00) | Wt Avg Value (11.00) | Change 2017 to 2018 | |
| Southwest | Clark | Native Grass | 69% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 30% | | | \$99 | \$99 | 0% | |
| | | Irrigated Land | 1% | 200 | 60.2% | \$514 | \$549 | 7% | 0% |
| | Finney | Native Grass | 22% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 48% | | | \$149 | \$163 | 9% | |
| | | Irrigated Land | 30% | 300 | 38.8% | \$430 | \$469 | 9% | 7% |
| | Ford | Native Grass | 21% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 66% | | | \$162 | \$179 | 10% | |
| | | Irrigated Land | 14% | 200 | 55.7% | \$495 | \$538 | 9% | 8% |
| | Grant | Native Grass | 15% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 47% | | | \$57 | \$55 | -4% | |
| | | Irrigated Land | 38% | 400 | 31.8% | \$449 | \$492 | 10% | 2% |
| | Gray | Native Grass | 14% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 57% | | | \$153 | \$172 | 12% | |
| | | Irrigated Land | 29% | 200 | 50.6% | \$516 | \$562 | 9% | 10% |
| | Hamilton | Native Grass | 28% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 67% | | | \$56 | \$57 | 2% | |
| | | Irrigated Land | 5% | 100 | 46.9% | \$490 | \$524 | 7% | 2% |
| | Haskell | Native Grass | 6% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 37% | | | \$104 | \$109 | 5% | |
| | | Irrigated Land | 57% | 400 | 32.9% | \$437 | \$467 | 7% | 6% |
| | Hodgeman | Native Grass | 38% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 57% | | | \$124 | \$136 | 10% | |
| | | Irrigated Land | 5% | 100 | 73.8% | \$571 | \$617 | 8% | 6% |
| | Kearny | Native Grass | 28% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 53% | | | \$119 | \$122 | 3% | |
| | | Irrigated Land | 19% | 300 | 52.8% | \$433 | \$464 | 7% | 3% |
| | Meade | Native Grass | 45% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 35% | | | \$96 | \$103 | 7% | |
| | | Irrigated Land | 20% | 400 | 67.9% | \$417 | \$454 | 9% | 4% |
| | Morton | Native Grass | 11% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 73% | | | \$56 | \$55 | -2% | |
| | | Irrigated Land | 16% | 300 | 35.7% | \$455 | \$491 | 8% | 0% |
| | Seward | Native Grass | 33% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 37% | | | \$85 | \$91 | 7% | |
| | | Irrigated Land | 30% | 400 | 57.5% | \$402 | \$438 | 9% | 5% |
| | Stanton | Native Grass | 10% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 58% | | | \$86 | \$88 | 2% | |
| | | Irrigated Land | 32% | 400 | 52.1% | \$415 | \$444 | 7% | 4% |
| | Stevens | Native Grass | 19% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 46% | | | \$74 | \$73 | -1% | |
| | | Irrigated Land | 35% | 400 | 20.2% | \$395 | \$425 | 8% | 2% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % Change |
|---------------|------------|----------------|-----------|------------|----------------|----------------------|----------------------|---------------------|-------------------|
| | | | in County | Well Depth | for Well Depth | Wt Avg Value (11.00) | Wt Avg Value (11.00) | Change 2017 to 2018 | |
| North Central | Clay | Native Grass | 36% | | | \$73 | \$78 | 6% | |
| | | Tame Grass | 2% | | | \$100 | \$101 | 1% | |
| | | Dry Land | 58% | | | \$422 | \$474 | 12% | |
| | | Irrigated Land | 4% | 100 | 100.0% | \$752 | \$817 | 9% | 10% |
| | Cloud | Native Grass | 38% | | | \$72 | \$80 | 11% | |
| | | Tame Grass | 3% | | | \$72 | \$80 | 11% | |
| | | Dry Land | 54% | | | \$359 | \$397 | 11% | |
| | | Irrigated Land | 6% | 100 | 82.3% | \$717 | \$779 | 9% | 11% |
| | Jewell | Native Grass | 35% | | | \$38 | \$45 | 19% | |
| | | Tame Grass | 2% | | | \$38 | \$45 | 19% | |
| | | Dry Land | 61% | | | \$377 | \$424 | 12% | |
| | | Irrigated Land | 2% | 100 | 100.0% | \$747 | \$815 | 9% | 15% |
| | Mitchell | Native Grass | 27% | | | \$40 | \$47 | 19% | |
| | | Tame Grass | 0% | | | \$40 | \$47 | 19% | |
| | | Dry Land | 72% | | | \$329 | \$364 | 11% | |
| | | Irrigated Land | 2% | 100 | 100.0% | \$779 | \$845 | 8% | 13% |
| | Osborne | Native Grass | 47% | | | \$34 | \$41 | 19% | |
| | | Tame Grass | 0% | | | \$34 | \$41 | 19% | |
| | | Dry Land | 51% | | | \$136 | \$148 | 9% | |
| | | Irrigated Land | 2% | 100 | 100.0% | \$796 | \$865 | 9% | 14% |
| | Ottawa | Native Grass | 45% | | | \$74 | \$82 | 11% | |
| | | Tame Grass | 2% | | | \$74 | \$82 | 11% | |
| | | Dry Land | 52% | | | \$321 | \$351 | 9% | |
| | | Irrigated Land | 1% | 100 | 74.1% | \$783 | \$848 | 8% | 10% |
| | Phillips | Native Grass | 51% | | | \$42 | \$49 | 17% | |
| | | Tame Grass | 0% | | | \$42 | \$49 | 17% | |
| | | Dry Land | 47% | | | \$252 | \$280 | 11% | |
| | | Irrigated Land | 1% | 100 | 100.0% | \$767 | \$832 | 8% | 14% |
| | Republic | Native Grass | 27% | | | \$74 | \$82 | 11% | |
| | | Tame Grass | 3% | | | \$74 | \$82 | 11% | |
| | | Dry Land | 55% | | | \$417 | \$468 | 12% | |
| | | Irrigated Land | 15% | 100 | 83.0% | \$710 | \$772 | 9% | 11% |
| | Rooks | Native Grass | 47% | | | \$39 | \$46 | 19% | |
| | | Tame Grass | 0% | | | \$39 | \$46 | 19% | |
| | | Dry Land | 53% | | | \$200 | \$224 | 12% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$824 | \$890 | 8% | 15% |
| | Smith | Native Grass | 40% | | | \$38 | \$45 | 18% | |
| | | Tame Grass | 0% | | | \$38 | \$45 | 18% | |
| | | Dry Land | 58% | | | \$311 | \$351 | 13% | |
| | | Irrigated Land | 2% | 100 | 100.0% | \$738 | \$800 | 8% | 15% |
| | Washington | Native Grass | 42% | | | \$73 | \$82 | 12% | |
| | | Tame Grass | 3% | | | \$101 | \$102 | 2% | |
| | | Dry Land | 53% | | | \$429 | \$484 | 13% | |
| | | Irrigated Land | 2% | 100 | 69.4% | \$741 | \$809 | 9% | 12% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % Change |
|----------|-----------|----------------|--------------|---------------|-------------------|-------------------------|-------------------------|------------------------|----------------------|
| | | | in County | Well Depth | for Well Depth | Wt Avg Value (11.00) | Wt Avg Value (11.00) | Change 2017 to 2018 | |
| Central | Barton | Native Grass | 21% | | | \$53 | \$58 | 10% | |
| | | Tame Grass | 0% | | | \$53 | \$58 | 10% | |
| | | Dry Land | 72% | | | \$281 | \$296 | 5% | |
| | | Irrigated Land | 7% | 100 | 100.0% | \$389 | \$436 | 12% | 7% |
| | Dickinson | Native Grass | 30% | | | \$68 | \$73 | 6% | |
| | | Tame Grass | 5% | | | \$68 | \$74 | 8% | |
| | | Dry Land | 64% | | | \$386 | \$406 | 5% | |
| | | Irrigated Land | 1% | 100 | 100.0% | \$444 | \$479 | 8% | 6% |
| | Ellis | Native Grass | 51% | | | \$38 | \$43 | 14% | |
| | | Tame Grass | 0% | | | \$38 | \$43 | 14% | |
| | | Dry Land | 49% | | | \$194 | \$212 | 9% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$499 | \$540 | 8% | 12% |
| | Ellsworth | Native Grass | 53% | | | \$70 | \$76 | 9% | |
| | | Tame Grass | 0% | | | \$70 | \$76 | 9% | |
| | | Dry Land | 47% | | | \$271 | \$291 | 7% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$497 | \$539 | 8% | 8% |
| | Lincoln | Native Grass | 47% | | | \$33 | \$38 | 14% | |
| | | Tame Grass | 2% | | | \$33 | \$38 | 14% | |
| | | Dry Land | 50% | | | \$296 | \$311 | 5% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$434 | \$468 | 8% | 10% |
| | Marion | Native Grass | 40% | | | \$60 | \$66 | 9% | |
| | | Tame Grass | 4% | | | \$61 | \$74 | 21% | |
| | | Dry Land | 56% | | | \$306 | \$321 | 5% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$443 | \$479 | 8% | 7% |
| | McPherson | Native Grass | 24% | | | \$71 | \$77 | 9% | |
| | | Tame Grass | 1% | | | \$71 | \$77 | 9% | |
| | | Dry Land | 69% | | | \$347 | \$366 | 5% | |
| | | Irrigated Land | 6% | 100 | 61.8% | \$504 | \$545 | 8% | 7% |
| | Rice | Native Grass | 26% | | | \$83 | \$89 | 7% | |
| | | Tame Grass | 1% | | | \$83 | \$89 | 7% | |
| | | Dry Land | 68% | | | \$316 | \$334 | 6% | |
| | | Irrigated Land | 5% | 100 | 100.0% | \$347 | \$376 | 8% | 6% |
| | Rush | Native Grass | 24% | | | \$37 | \$42 | 13% | |
| | | Tame Grass | 0% | | | \$37 | \$42 | 13% | |
| | | Dry Land | 73% | | | \$174 | \$188 | 8% | |
| | | Irrigated Land | 3% | 100 | 100.0% | \$458 | \$494 | 8% | 9% |
| | Russell | Native Grass | 53% | | | \$34 | \$39 | 14% | |
| | | Tame Grass | 0% | | | \$34 | \$39 | 14% | |
| | | Dry Land | 47% | | | \$230 | \$248 | 8% | 11% |
| | Saline | Native Grass | 41% | | | \$75 | \$81 | 9% | |
| | | Tame Grass | 1% | | | \$75 | \$81 | 9% | |
| | | Dry Land | 57% | | | \$352 | \$375 | 7% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$507 | \$546 | 8% | 7% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % Change |
|---------------|----------|----------------|-----------|------------|----------------|----------------------|----------------------|---------------------|-------------------|
| | | | in County | Well Depth | for Well Depth | Wt Avg Value (11.00) | Wt Avg Value (11.00) | Change 2017 to 2018 | |
| South Central | Barber | Native Grass | 72% | | | \$10 | \$10 | 0% | |
| | | Tame Grass | 0% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 27% | | | \$171 | \$174 | 2% | |
| | | Irrigated Land | 1% | 100 | 53.5% | \$510 | \$564 | 11% | 1% |
| | Comanche | Native Grass | 67% | | | \$10 | \$10 | 0% | |
| | | Tame Grass | 0% | | | \$10 | \$10 | 0% | |
| | | Dry Land | 31% | | | \$128 | \$134 | 5% | |
| | | Irrigated Land | 1% | 300 | 36.5% | \$321 | \$373 | 16% | 2% |
| | Edwards | Native Grass | 22% | | | \$14 | \$16 | 17% | |
| | | Tame Grass | 0% | | | \$14 | \$16 | 17% | |
| | | Dry Land | 53% | | | \$147 | \$160 | 9% | |
| | | Irrigated Land | 25% | 100 | 87.4% | \$405 | \$459 | 13% | 12% |
| | Harper | Native Grass | 35% | | | \$33 | \$36 | 10% | |
| | | Tame Grass | 0% | | | \$33 | \$36 | 10% | |
| | | Dry Land | 64% | | | \$156 | \$158 | 1% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$418 | \$473 | 13% | 4% |
| | Harvey | Native Grass | 16% | | | \$27 | \$28 | 2% | |
| | | Tame Grass | 4% | | | \$27 | \$28 | 2% | |
| | | Dry Land | 68% | | | \$327 | \$344 | 5% | |
| | | Irrigated Land | 12% | 100 | 75.0% | \$355 | \$400 | 13% | 5% |
| | Kingman | Native Grass | 41% | | | \$21 | \$24 | 12% | |
| | | Tame Grass | 0% | | | \$21 | \$24 | 12% | |
| | | Dry Land | 56% | | | \$187 | \$189 | 1% | |
| | | Irrigated Land | 3% | 100 | 100.0% | \$489 | \$560 | 15% | 6% |
| | Kiowa | Native Grass | 46% | | | \$12 | \$15 | 21% | |
| | | Tame Grass | 0% | | | \$12 | \$15 | 21% | |
| | | Dry Land | 43% | | | \$153 | \$159 | 4% | |
| | | Irrigated Land | 11% | 100 | 58.8% | \$463 | \$520 | 12% | 13% |
| | Pawnee | Native Grass | 15% | | | \$15 | \$18 | 16% | |
| | | Tame Grass | 1% | | | \$15 | \$18 | 16% | |
| | | Dry Land | 68% | | | \$187 | \$194 | 4% | |
| | | Irrigated Land | 16% | 100 | 87.0% | \$432 | \$488 | 13% | 7% |
| | Pratt | Native Grass | 20% | | | \$10 | \$12 | 23% | |
| | | Tame Grass | 0% | | | \$10 | \$12 | 23% | |
| | | Dry Land | 64% | | | \$207 | \$218 | 5% | |
| | | Irrigated Land | 16% | 200 | 50.5% | \$364 | \$421 | 16% | 10% |
| | Reno | Native Grass | 24% | | | \$24 | \$27 | 11% | |
| | | Tame Grass | 0% | | | \$24 | \$27 | 11% | |
| | | Dry Land | 71% | | | \$239 | \$251 | 5% | |
| | | Irrigated Land | 5% | 100 | 96.5% | \$264 | \$315 | 19% | 7% |
| | Sedgwick | Native Grass | 18% | | | \$22 | \$25 | 13% | |
| | | Tame Grass | 4% | | | \$22 | \$25 | 13% | |
| | | Dry Land | 68% | | | \$238 | \$250 | 5% | |
| | | Irrigated Land | 9% | 100 | 100.0% | \$455 | \$516 | 13% | 8% |
| | Stafford | Native Grass | 25% | | | \$43 | \$46 | 7% | |
| | | Tame Grass | 0% | | | \$43 | \$46 | 7% | |
| | | Dry Land | 57% | | | \$230 | \$238 | 3% | |
| | | Irrigated Land | 17% | 100 | 100.0% | \$379 | \$436 | 15% | 6% |
| | Sumner | Native Grass | 16% | | | \$28 | \$31 | 10% | |
| | | Tame Grass | 0% | | | \$28 | \$31 | 10% | |
| | | Dry Land | 83% | | | \$202 | \$212 | 5% | |
| | | Irrigated Land | 1% | 100 | 100.0% | \$471 | \$531 | 13% | 6% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted |
|-----------|--------------|--------------|---------|-------|----------|---------------|---------------|--------------|----------|
| | | | in | Well | for Well | Wt Avg | Wt Avg | Change | % |
| | | | County | Depth | Depth | Value (11.00) | Value (11.00) | 2017 to 2018 | Change |
| Northeast | Atchison | Native Grass | 8% | | | \$93 | \$97 | 5% | |
| | | Tame Grass | 38% | | | \$93 | \$97 | 5% | |
| | | Dry Land | 54% | | | \$631 | \$723 | 15% | 10% |
| | Brown | Native Grass | 11% | | | \$89 | \$94 | 5% | |
| | | Tame Grass | 9% | | | \$89 | \$94 | 5% | |
| | | Dry Land | 78% | | | \$931 | \$1,038 | 11% | 10% |
| | Doniphan | Native Grass | 1% | | | \$118 | \$123 | 4% | |
| | | Tame Grass | 28% | | | \$118 | \$123 | 4% | |
| | | Dry Land | 70% | | | \$1,018 | \$1,133 | 11% | 9% |
| | Jackson | Native Grass | 43% | | | \$88 | \$92 | 4% | |
| | | Tame Grass | 25% | | | \$88 | \$92 | 4% | |
| | | Dry Land | 32% | | | \$574 | \$635 | 11% | 6% |
| | Jefferson | Native Grass | 28% | | | \$88 | \$92 | 4% | |
| | | Tame Grass | 37% | | | \$88 | \$92 | 4% | |
| | | Dry Land | 33% | | | \$586 | \$670 | 14% | 8% |
| | Leavenworth | Native Grass | 29% | | | \$89 | \$93 | 4% | |
| | | Tame Grass | 42% | | | \$89 | \$93 | 4% | |
| | | Dry Land | 29% | | | \$539 | \$616 | 14% | 7% |
| | Marshall | Native Grass | 33% | | | \$81 | \$85 | 5% | |
| | | Tame Grass | 6% | | | \$81 | \$85 | 5% | |
| | | Dry Land | 60% | | | \$500 | \$572 | 14% | 11% |
| | Nemaha | Native Grass | 22% | | | \$90 | \$95 | 5% | |
| | | Tame Grass | 19% | | | \$90 | \$95 | 5% | |
| | | Dry Land | 59% | | | \$615 | \$708 | 15% | 11% |
| | Pottawatomie | Native Grass | 75% | | | \$83 | \$87 | 5% | |
| | | Tame Grass | 3% | | | \$88 | \$93 | 7% | |
| | | Dry Land | 19% | | | \$621 | \$704 | 13% | 7% |
| | Riley | Native Grass | 61% | | | \$69 | \$72 | 4% | |
| | | Tame Grass | 2% | | | \$88 | \$92 | 5% | |
| | | Dry Land | 35% | | | \$486 | \$545 | 12% | 7% |
| | Wyandotte | Native Grass | 45% | | | \$89 | \$91 | 2% | |
| | | Tame Grass | 21% | | | \$89 | \$91 | 2% | |
| | | Dry Land | 29% | | | \$497 | \$568 | 14% | 5% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % |
|--------------|----------|----------------|---------|-------|----------|---------------|---------------|--------------|------------|
| | | | in | Well | for Well | Wt Avg | Wt Avg | Change | |
| | | | County | Depth | Depth | Value (11.00) | Value (11.00) | 2017 to 2018 | Change |
| East Central | Anderson | Native Grass | 51% | | | \$70 | \$77 | 10% | |
| | | Tame Grass | 8% | | | \$70 | \$77 | 10% | |
| | | Dry Land | 40% | | | \$331 | \$348 | 5% | 8% |
| Chase | | Native Grass | 87% | | | \$72 | \$80 | 10% | |
| | | Tame Grass | 4% | | | \$72 | \$80 | 10% | |
| | | Dry Land | 9% | | | \$327 | \$362 | 11% | 10% |
| Coffey | | Native Grass | 56% | | | \$79 | \$85 | 7% | |
| | | Tame Grass | 6% | | | \$79 | \$85 | 7% | |
| | | Dry Land | 37% | | | \$361 | \$374 | 4% | 6% |
| Douglas | | Native Grass | 46% | | | \$63 | \$71 | 12% | |
| | | Tame Grass | 16% | | | \$63 | \$71 | 12% | |
| | | Dry Land | 37% | | | \$456 | \$481 | 5% | 9% |
| Franklin | | Native Grass | 51% | | | \$83 | \$90 | 9% | |
| | | Tame Grass | 10% | | | \$83 | \$90 | 9% | |
| | | Dry Land | 38% | | | \$388 | \$406 | 5% | 7% |
| Geary | | Native Grass | 72% | | | \$93 | \$101 | 8% | |
| | | Tame Grass | 3% | | | \$93 | \$101 | 8% | |
| | | Dry Land | 22% | | | \$465 | \$492 | 6% | |
| | | Irrigated Land | 2% | 100 | 100.0% | \$841 | \$914 | 9% | 7% |
| Johnson | | Native Grass | 13% | | | \$86 | \$95 | 11% | |
| | | Tame Grass | 50% | | | \$86 | \$95 | 11% | |
| | | Dry Land | 36% | | | \$404 | \$423 | 5% | 8% |
| Linn | | Native Grass | 44% | | | \$79 | \$87 | 9% | |
| | | Tame Grass | 23% | | | \$79 | \$87 | 9% | |
| | | Dry Land | 32% | | | \$328 | \$344 | 5% | 8% |
| Lyon | | Native Grass | 64% | | | \$73 | \$81 | 10% | |
| | | Tame Grass | 7% | | | \$73 | \$81 | 10% | |
| | | Dry Land | 28% | | | \$332 | \$339 | 2% | 8% |
| Miami | | Native Grass | 20% | | | \$87 | \$95 | 9% | |
| | | Tame Grass | 53% | | | \$87 | \$95 | 9% | |
| | | Dry Land | 26% | | | \$430 | \$451 | 5% | 8% |
| Morris | | Native Grass | 68% | | | \$88 | \$95 | 8% | |
| | | Tame Grass | 5% | | | \$88 | \$95 | 8% | |
| | | Dry Land | 26% | | | \$293 | \$305 | 4% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$466 | \$505 | 8% | 7% |
| Osage | | Native Grass | 56% | | | \$68 | \$74 | 9% | |
| | | Tame Grass | 9% | | | \$68 | \$74 | 9% | |
| | | Dry Land | 34% | | | \$366 | \$383 | 5% | 8% |
| Shawnee | | Native Grass | 44% | | | \$80 | \$87 | 9% | |
| | | Tame Grass | 16% | | | \$80 | \$87 | 9% | |
| | | Dry Land | 34% | | | \$512 | \$535 | 4% | 7% |
| Wabaunsee | | Native Grass | 78% | | | \$95 | \$102 | 8% | |
| | | Tame Grass | 6% | | | \$95 | \$102 | 8% | |
| | | Dry Land | 14% | | | \$411 | \$427 | 4% | 7% |

Agricultural Land Base Value Comparison 2017 - 2018

| District | County | Land Use | % Acres | | % Acres | 2017 | 2018 | Overall % | Weighted % Change |
|-----------|------------|----------------|--------------|---------------|-------------------|-------------------------|-------------------------|------------------------|----------------------|
| | | | in County | Well Depth | for Well Depth | Wt Avg Value (11.00) | Wt Avg Value (11.00) | Change 2017 to 2018 | |
| Southeast | Allen | Native Grass | 41% | | | \$70 | \$78 | 12% | |
| | | Tame Grass | 17% | | | \$70 | \$78 | 12% | |
| | | Dry Land | 42% | | | \$290 | \$319 | 10% | 11% |
| | Bourbon | Native Grass | 50% | | | \$67 | \$75 | 12% | |
| | | Tame Grass | 31% | | | \$67 | \$75 | 12% | |
| | | Dry Land | 20% | | | \$286 | \$310 | 8% | 12% |
| | Butler | Native Grass | 72% | | | \$53 | \$62 | 16% | |
| | | Tame Grass | 6% | | | \$53 | \$62 | 16% | |
| | | Dry Land | 22% | | | \$322 | \$352 | 9% | |
| | | Irrigated Land | 0% | 100 | 100.0% | \$470 | \$532 | 13% | 14% |
| | Chautauqua | Native Grass | 89% | | | \$46 | \$54 | 16% | |
| | | Tame Grass | 5% | | | \$71 | \$82 | 16% | |
| | | Dry Land | 5% | | | \$206 | \$223 | 8% | 16% |
| | Cherokee | Native Grass | 33% | | | \$96 | \$106 | 11% | |
| | | Tame Grass | 17% | | | \$96 | \$106 | 11% | |
| | | Dry Land | 49% | | | \$373 | \$392 | 5% | 8% |
| | Cowley | Native Grass | 67% | | | \$52 | \$60 | 16% | |
| | | Tame Grass | 7% | | | \$52 | \$60 | 16% | |
| | | Dry Land | 26% | | | \$234 | \$252 | 8% | |
| | | Irrigated Land | 1% | 100 | 100.0% | \$465 | \$528 | 14% | 14% |
| | Crawford | Native Grass | 37% | | | \$85 | \$95 | 11% | |
| | | Tame Grass | 24% | | | \$85 | \$95 | 11% | |
| | | Dry Land | 38% | | | \$335 | \$363 | 8% | 10% |
| | Elk | Native Grass | 91% | | | \$48 | \$56 | 16% | |
| | | Tame Grass | 2% | | | \$48 | \$60 | 24% | |
| | | Dry Land | 8% | | | \$275 | \$292 | 6% | 16% |
| | Greenwood | Native Grass | 89% | | | \$50 | \$58 | 16% | |
| | | Tame Grass | 4% | | | \$52 | \$64 | 23% | |
| | | Dry Land | 7% | | | \$333 | \$348 | 5% | 16% |
| | Labette | Native Grass | 24% | | | \$74 | \$82 | 11% | |
| | | Tame Grass | 43% | | | \$74 | \$82 | 11% | |
| | | Dry Land | 33% | | | \$236 | \$256 | 8% | 10% |
| | Montgomery | Native Grass | 55% | | | \$71 | \$79 | 12% | |
| | | Tame Grass | 18% | | | \$71 | \$79 | 12% | |
| | | Dry Land | 27% | | | \$265 | \$287 | 8% | 11% |
| | Neosho | Native Grass | 38% | | | \$65 | \$73 | 12% | |
| | | Tame Grass | 28% | | | \$65 | \$73 | 12% | |
| | | Dry Land | 33% | | | \$250 | \$273 | 9% | 11% |
| | Wilson | Native Grass | 56% | | | \$68 | \$76 | 11% | |
| | | Tame Grass | 6% | | | \$68 | \$76 | 11% | |
| | | Dry Land | 38% | | | \$317 | \$338 | 7% | 10% |
| | Woodson | Native Grass | 66% | | | \$73 | \$81 | 11% | |
| | | Tame Grass | 9% | | | \$73 | \$81 | 11% | |
| | | Dry Land | 25% | | | \$284 | \$312 | 10% | 11% |